


NP300 BODY





Your business needs to perform in all conditions – and the Nissan NP300 HARDBODY has the power to rise to any challenge. With cabin comforts as standard and powerful engines that produce a surprisingly quiet ride, getting to where you need to be on time and conducting business on the move is easy.

The Nissan NP300 HARDBODY isn't simply a business tool; it's also a smart business investment, that proves that tough, capable and reliable coexist as it is built to last. With a slew of available comforts like aircon, remote keyless entry, power windows, door locks and mirrors this vehicle proves that tough can be comfortable.

Longer service intervals, extremely low fuel consumption and an economical total cost of ownership mean that the Nissan NP300 HARDBODY performs as well on the books as it does on the job, saving you both (down) time and money.

The unstoppable Nissan NP300 HARDBODY workhorse range, along with the versatile Nissan NP300 HARDBODY Hi-Rider range, are true assets to any business, large or small.

CABIN COMFORTS

















PROVEN RELIABILITY

The Nissan NP300 HARDBODY is an unmistakable legend of the South African light commercial vehicle market. A thoroughbred workhorse, it continues to offer exceptional return on investment, delivering usable space and utility with ease and building on an already enviable reputation for getting the job done, whatever is asked of it.

Rugged build quality and engineering means the Nissan NP300 HARDBODY can take the most demanding surfaces in its stride. Brutal quality testing of its paintwork, by firing diamond chips at the exterior, along with E-coat antirust treatment, ensures it handles the toughest working conditions too, from flying gravel to extreme humidity.

No matter how tough the task, the Nissan NP300 HARDBODY delivers every time – reliably.

The NP300 HARDBODY comes standard with the following features:

Central locking with remote.

Standard in all Nissan NP300 HARDBODY Hi-Rider Double Cab models.

Immobiliser and personally coded ignition keys.

Standard on all Nissan NP300 HARDBODY models.

Solid ladder frame chassis.

Absorbs the force of impact from the front.

Front Crumple zones.

Minimise impact in the cabin.

Anti-lock Braking System (ABS).

Standard on all Mid Grade, 4x4 and Hi-Rider models helps prevent your wheels from locking to help you steer around unexpected obstacles.

VERSATILE BY NATURE

Essential cabin comforts like power windows, a tilt-adjustable steering column, ABS* and dual airbags confirm the Nissan NP300 HARDBODY's resourceful spirit.

INSIDE

The interior finish includes cloth seats, front and rear headrests and a sliding rear window. Redesigned pillar seals ensure extra firm window closure for a quieter, dust-free interior with maximum protection against water seepage in wet conditions.

OUTSIDE

Designed to carry almost any load, the Nissan NP300 HARDBODY's reinforced load-box inner panels are grooved to enable the insertion of a board for separate front and rear loading sections, while a horizontal selected board can also be inserted to divide upper and lower loading decks. Oval tubing in the styled roof carrier on selected Double Cab models matches the side step style and is ideal for light recreational cargo.

Whatever questions are asked of the Nissan NP300 HARDBODY are immediately answered with confidence, power and reliability.





MEAN MACHINE

The Nissan NP300 HARDBODY's diesel engines are the result of a 50-year heritage of engineering expertise. So when it comes to reliability, power and performance, the second generation 2.5 litre common rail turbo diesel engine is as dependable and responsive as you can get. The potent combination of turbo and intercooler produces awesome power and torque and comes standard with a 5-speed manual transmission.

Quieter, with reduced vibration and carbon monoxide emissions, the Nissan NP300 HARDBODY diesel engines also use eco-friendly oil filter cartridges which can be completely incinerated after use, meaning they are environmentally responsible and hardworking.

Clean and easy shift changes are provided by the 5-speed manual transmission, and a braking systems load-sensing valve increases brake power to the rear when moving large loads, ensuring the NP300 HARDBODY makes light work of the toughest jobs. Engaging 4WD locks the transfer case in a 50/50 torque split for maximum traction from front and rear axles. Auto locking hubs come standard on the NISSAN NP300 HARDBODY 4WD models. When not in use, the hubs are automatically released, improving fuel economy.

Limited Slip Differential on 4WD Diesel models automatically transfers torque to the non-slipping drive wheel, allowing you to power out of virtually any situation.

THE TOTAL BUSINESS SOLUTION

The Nissan NP300 HARDBODY remains the indisputable choice of business partner in the commercial sector. Its solid heritage rests on well-proven mechanical underpinnings and design philosophies that encompass the essential functional systems required of today's business operations. The financial appeal of the Nissan NP300 HARDBODY is further enhanced by an aggressive list price and proven economical total cost of ownership.

The Nissan NP300 HARDBODY is not only a willing partner, but a sound investment for South African businesses – large or small.





WE MAKE PROMISES. WE KEEP PROMISES.

INTRODUCING NISSAN ASSURED, IT'S MORE THAN A PROMISE. AS PART OF THE NISSAN FAMILY YOU'RE GUARANTEED OUR COMMITMENT TO CUSTOMER CARE. A LASTING BOND BETWEEN YOU, YOUR VEHICLE AND THE NISSAN BRAND. **THAT'S OUR PROMISE.**

CUSTOMER EXPERIENCE

We promise to make your Nissan experience one to cherish, from your delivery day and everyday after, our commitment is to deliver a service experience you can trust – and believe in.

CUSTOMER SUPPORT

ROADSIDE ASSISTANCE

We keep you on the road 24/7. Should anything unexpected happen we guarantee you 24-hour roadside assistance, no matter the age of your Nissan, because it's still a Nissan. Just call **0800 NISSAN (64 77 26)** anywhere, anytime. Terms and Conditions do apply.

LICENCE RENEWAL REMINDER

We'll remind you in advance so you can keep your licence disk up to date.

3 YEAR OR 90 000KM SERVICE PLAN

For the first 3 years or 90 000km of driving your car, whichever comes first, you can rest easy knowing that our promise to you is a kept one. We'll make sure your car is running smoothly and always on the road.

6 YEAR OR 150 000KM WARRANTY

As long as your car is under our warranty, we'll always have you covered if anything goes wrong. You don't need to stress for the first 6 years or 150 000km, whichever comes first.

SERVICE AND REPAIRS

FREE VEHICLE HEALTH CHECK

We'll give your car a free health check on every major and minor service prior to any work being carried out, so you know exactly what needs to be done, and how much it will cost.

COMPETITIVELY PRICED PARTS

We deliver the highest care for your Nissan by fitting only Nissan Genuine Parts. The expertise of our Nissan trained teams will also guarantee best value-for-money by finding the most competitively priced part for your local dealer.

COURTESY CAR

We will arrange a courtesy car for all warranty repairs should the components required not be available within 48 hours.



Call 0800 NISSAN (64 77 26) or visit www.nissan.co.za for more information.

ADD YOUR PERSONAL TOUCH



Make light work of tough rural conditions.

- Cattle rails
- Rubberising
- Bush bar
- Tubular rear step bumper
- · Tow bar towing kit
- Carpet sets
- Air conditioner
- · Radio + USB + Bluetooth











NP300 LWB MOBILE WORKSHOP CANOPY **COMPLETE CONVERSION**

Stainless Steel Gullwing Canopy (Standard Canopy)

Front & Rear Glass Windows

Solid Side Full Length Gullwing opening doors

Colour Matching

Roof Rails

Anti-Theft Rear Door Mesh

Mobile Workshop Solution

10l Oil Tray with Cap

Retractable Air Hose

Fire Extinguisher 2.5kg with mounting bracket

65 l Water Tank Mounted behind cab, with Water Pump, Hose and Spray Nozzle Tailgate Vice Plate mounted, with Vice and Tailgate locking mechanism

Oil Catching Galv Drip Tray 1m x 1m

LED Lights (Interior) with On/Off Switch

Customized Side Compartments with storage sections and drawers

Heavy Duty Pull out drawer with spring-loaded locking pins and handle 1000mm x 1800mm, Honda GX390 Generator

10m Lead with mounting bracket

Mobile Workshop Toolset (Optional)

1/2" Metric General Service Set: 22 X 6Pt Std Skts 10mm-32mm (Exc 31mm)

Ratchet, Power Bar, Universal Joint, 3 X Extensions (3", 6" and 10")

2 X Adaptors (1/2"-3/4" And 1/2"-3/8"), 30 Piece

12 Piece Metric Polished Finish Combination Spanner Set 8 - 19mm

7 Piece Screwdriver Set

5 Piece Plier Set

Cooling Tester SVTS272, 6 Piece

Funnel 1.48

Impact Wrench Super Duty 1/2" Drive

Pliers Retaining Ring Convertible

Torque Wrench 1/2 40 - 210Nm

Jack Stands - Pair

* Suspension upgrade is required for this conversion. Please speak to your dealer for more information.

ADDITIONAL NISSAN APPROVED ACCESSORIES	PART NUMBER
Bush Bar Wrap-around for 4X4 & 4X2	68NI07PA
Tow Bar Towing Kit - Hi Line	B0SD22HTEK
Rubberising Double Cab - 5mm	RLDC5MM01
Spare Wheel Lock	GT1030NP300
Rollbar Mild Steel Black D/C	NP300RBMSB

ADDITIONAL NISSAN APPROVED ACCESSORIES	PART NUMBER
Double Cab (Maxe Sportsbar) (latch in middle of tailgate)	TCQWDCMAX
Snorkel 2.5 Diesel	ISNORKEL013
Navigation Audio CASKA (without steering control link)	PERRNL22R2
Reverse Camera for all Nissan Vehicles	CA202

NISSAN NP300 HARDBODY

COLOUR AND TRIM



TRIM OPTIONS





Cloth



PVC

		Single Cab		
			4X2	
Model		2.5D SC	w2.5D MID SC	2.5D HIGH SC
Drive train		4 x 2	4×2	4x2
Fuel type		Diesel	Diesel	Diesel
ENGINE				
Max power	kW@rpm	98 @ 3600	98 @ 3600	98 @ 3600
Maxtorque	Nm @ rpm	304 @ 2000	304 @ 2000	304 @ 2000
Displacement	СС	2488	2488	2488
Compression ratio		16.5:1	16.5:1	16.5:1
Fuel consumption	ę	6,8	6,8	7,7
CO ₂ emission	g/km	211	211	211
TRANSMISSION				
Gear ratios:	1st	3,580	3,580	3,580
	2nd	2,077	2,077	2,077
	3rd	1,360	1,360	1,360
	4th	1,000	1,000	1,000
	5th	0,760	0,760	0,760
Final drive ratio		3,700	3,700	3,700
Limited slip differential		N/A	N/A	N/A
Auto free running hub		N/A	N/A	N/A
LOAD AND DIMENSIONS				
GVM	kg	2730	2730	2730
GCM	kg	4130	4130	4140
Tare	kg	1490	1490	1636
Load capacity (GVM - Tare)	kg	1240	1240	1094
Tyre size		195/80 R15	195/80 R15	245/70 R16
Wheels		15"	15"	16"
Wheel finish		Steel	Steel	Alloy
Ground clearance	mm	180	180	240
Loadbox length	mm	2220	2220	2220
Loadbox width	mm	1466	1466	1466
Loadbox depth	mm	428	428	428
Fuel tank capacity	ℓ/100km	75	75	75
Overall Length	mm	5175	5175	5170
Width	mm	1690	1690	1825
Height	mm	1620	1620	1725
Wheelbase	mm	2950	2950	2950
Front track	mm	1395	1395	1525
Rear track	mm	1390	1390	1505
Max towing capacity unbraked trailer	kg	745	745	750
Max towing capacity trailer with overrun brake	kg	1400	1400	1410
Kerb to kerb (diameter)	m	11,2	11,2	12,0
SAFETY				
Driver and passenger airbags		Standard	Standard	Standard
Safety belts: front seats		2x3-point plus lapbelt	2x3-point plus lapbelt	2x3-point
Anti-locking Braking System (ABS)		N/A	Standard	Standard
Front crumple zones		Standard	Standard	Standard
Halogen headlamps		Standard	Standard	Standard
Ladder frame chassis		Standard	Standard	Standard
Side door intrusion bars		Standard	Standard	Standard
Side headlamp reflectors		Standard	Standard	Standard

Single Cab		Double Cab				
4X4		4	X2	4X4		
2.4 MID 4X4 SC	2.5D MID 4X4 SC	2.4 HIGH DC	2.5D HIGH DC	2.4 HIGH 4X4 DC	2.5D HIGH DC	
4 x 4	4 × 4	4 x 2	4 x 2	4 × 4	4 x 4	
Petrol	Diesel	Petrol	Diesel	Petrol	Diesel	
105 @ 5600	98 @ 3600	105 @ 5600	98 @ 3600	105 @ 5600	98 @ 3600	
205 @ 3600	304 @ 2000	205 @ 3600	304 @ 2000	205 @ 3600	304@2000	
2389	2488	2389	2488	2389	2488	
9.2:1	16.5:1	9.2:1	16.5:1	9.2:1	16.5:1	
11,1	8,9	11,0	8,4	11,7	8,9	
261	247	259	233	274	233	
3,592	3,600	3,592	3,580	3,592	3,580	
2,246	2,077	2,246	2,077	2,246	2,077	
1,415	1,360	1,415	1,360	1,415	1,360	
1,000	1,000	1,000	1,000	1,000	1,000	
0,821	0,760	0,821	0,760	0,821	0,760	
4,625	4,625	4,875	3,700	4,625	4,625	
Standard	Standard	N/A	N/A	Standard	Standard	
Standard	Standard	N/A	N/A	Standard	Standard	
		.,,	.,,.,			
2740	2740	2730	2730	2740	2740	
4140	4140	4130	4130	4140	4140	
1617	1716	1635	1725	1735	1767	
1123	1024	1095	1005	995	973	
215/80 R15	215/80 R15	245/70 R16	245/70 R16	245/70 R16	245/70 R16	
15"	15"	16"	16"	16"	16"	
Steel	Steel	Alloy	Alloy	Alloy	Alloy	
225	225	240	240	240	240	
2220	2220	1425	1425	1425	1425	
1466	1466	1390	1390	1390	1390	
428	428	435	435	435	435	
75	75	75	75	75	75	
5170	5170	5080	5080	5080	5170	
1825	1825	1825	1825	1825	1825	
1695	1695	1735	1735	1695	1695	
2950	2950	2950	2950	2950	2950	
1525	1525	1530	1525	1525	1525	
1505	1505	1525	1505	1505	1505	
750	750	750	750	750	750	
1400	1400	1400	1400	1410	1400	
12,0	12,0	12,0	12,0	12,0	12,0	
Standard	Standard	Standard	Standard	Standard	Standard	
2x3-point	2x3-point	2x3-point	2x3-point	2x3-point	2x3-point	
Standard	Standard	Standard	Standard	Standard	Standard	
Standard	Standard	Standard	Standard	Standard	Standard	
Standard	Standard	Standard	Standard	Standard	Standard	
Standard	Standard	Standard	Standard	Standard	Standard	
	23200.0					
Standard	Standard	Standard	Standard	Standard	Standard	

NISSAN NP300 HARDBODY SPECIFICATIONS 11

	Single Cab			
Model	2.5D SC	2.5D MID SC	2.5D HIGH SC	
INSTRUMENTS AND CONTROLS				
4-spoke steering wheel	Standard	Standard	Standard	
Power steering	Standard	Standard	Standard	
Rev counter	Standard	Standard	Standard	
TRIM				
Floor cover	PVC	PVC	Carpet	
Seat material	PVC	PVC	Cloth	
COMFORT AND CONVENIENCE				
Air conditioner	Standard	Standard	Standard	
Radio & CD	N/A	N/A	N/A	
Front seat type	Bench	Bench	Bucket	
Room lamp	Standard	Standard	Standard	
Digital clock	Standard	Standard	Standard	
Central locking with remote	N/A	N/A	Standard	
Sliding rear window	N/A	N/A	Standard	
Power windows	N/A	N/A	Standard	
EXTERIOR				
Rear bumper	N/A	Black Tubular Steel	Styled aluminium	
Over fenders	N/A	N/A	Body colour	
Colour coded front bumper	N/A	N/A	Standard	
Roll bar	N/A	N/A	Standard	
Roof rail	N/A	N/A	N/A	
Side steps	N/A	N/A	N/A	
Fog lamp	N/A	N/A	N/A	
Mudguard front	N/A	N/A	Standard	
Mudguard rear	Standard	Standard	Standard	
SERVICE AND WARRANTY				
Service intervals	15 000km	15 000km	15 000km	
Service plan	Optional	Optional	Optional	
Warranty	6 year / 150 000km	6 year / 150 000km	6 year / 150 000km	

Every effort has been made to ensure that the content of this brochure is correct at the time of going to print (September 2019). This brochure has been produced featuring prototype or accessorised vehicles exhibited at motor shows and, in accordance with the company's policy of continuously improving its products, Nissan South Africa reserves the right to change the specification and the vehicles described and shown in this brochure at any time. Nissan Dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan Dealer to receive the most up-to-date information. Due to the limitations of the printing processes used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. All rights reserved. Reproduction in whole or part of this brochure without the written permission from Nissan is forbidden. Quoted fuel consumption and emission values have been established using the prescribed method of measurement (United Nations Economic Commission for Europe "ECE" Regulation R101 in the current version) as required under current legislation. This data does not pertain to the specific vehicle and does not comprise part of the offer, but is supplied for the purpose of comparison between the various types of vehicles, in accordance with 1999/94/EC. Driving behaviour / conditions and other non-technical factors contribute towards a vehicle's fuel consumption and CO₂ emissions over and above the determined fuel efficiency of a vehicle.

Single Cab 4X4			Double Cab			
		4	4X2		4X4	
2.4 MID 4X4 SC	2.5D MID 4X4 SC	2.4 HIGH DC	2.5D HIGH DC	2.4 HIGH 4X4 DC	2.5D HIGH DC	
Standard	Standard	Standard	Standard	Standard	Standard	
Standard	Standard	Standard	Standard	Standard	Standard	
	+					
Standard	Standard	Standard	Standard	Standard	Standard	
PVC	PVC	Carpet	Carpet	Carpet	Carpet	
Cloth	Cloth	Cloth (high)	Cloth (high)	Cloth (high)	Cloth (high)	
Standard	Standard	Standard	Standard	Standard	Standard	
N/A	N/A	Standard	Standard	Standard	Standard	
Bucket	Bucket	Bucket	Bucket	Bucket	Bucket	
Standard	Standard	Standard	Standard	Standard	Standard	
Standard	Standard	Standard	Standard	Standard	Standard	
N/A	N/A	Standard	Standard	Standard	Standard	
N/A	N/A	Standard	Standard	Standard	Standard	
N/A	N/A	Standard	Standard	Standard	Standard	
Black Tubular Steel	Black Tubular Steel	Styled aluminium	Styled aluminium	Styled aluminium	Styled aluminiu	
Black	Black	Body colour	Body colour	Body colour	Body colour	
N/A	N/A	Standard	Standard	Standard	Standard	
N/A	N/A	Standard	Standard	Standard	Standard	
N/A	N/A	Standard	Standard	Standard	Standard	
N/A	N/A	Standard	Standard	Standard	Standard	
N/A	N/A	Standard	Standard	Standard	Standard	
Standard	Standard	Standard	Standard	Standard	Standard	
Standard	Standard	Standard	Standard	Standard	Standard	
15 000km	15 000km	15 000km	15 000km	15 000km	15 000km	
Optional	Optional	Optional	Optional	Optional	Optional	
	· ·			· ·		
5 year / 150 000km	6 year / 150 000km	6 year / 150 000km	6 year / 150 000km	6 year / 150 000km	6 year / 150 000k	

Optional equipment can result in an increase/decrease in the unladen weight and consequently affect the payload. Quoted payloads have been determined to allow for factory options or aftermarket solutions that are not accommodated in the standard delivery and services scope. The calculation of the actual payload of a vehicle is the difference between the gross vehicle mass and the curb mass and can only be determined by weighing the vehicle. Due to production tolerances/tyre sizes/type of running gear, the actual dimensions can differ slightly from the figures supplied in this brochure.



Nissan's commitment to the environment

Nissan's environmental philosophy embraces people, vehicles and nature. In the pursuit of a sustainable mobile society, the Nissan Green Program aims to reduce the environmental impact of Nissan vehicles at every stage of the GREEN PROGRAM vehicle life cycle, while corporate activities address environmental challenges.

NISSAN'S commitment to quality: to provide all customers with a consistently high level of quality, Nissan applies the standardworldwide, to ensure that all Nissan owners enjoy peace of mind for the lives of their vehicles. The approach is based on qualityfrom the customer's perspective on three key elements: 1. The expectation of a smooth driving experience with complete peace of mind. 2. The intangible appeal of a vehicle, its power to captivate and excite, with features that capture attention and imagination. 3. The level of attentiveness and service during the sales process, and long after the sale is concluded.

12

NISSAN NP300 HARDBODY **SPECIFICATIONS**

NISSAN INTELLIGENT MOBILITY

Intelligent Mobility guides everything we do. We're using new technologies to transform cars from mere driving machines into partners. Together the journey is more confident, connected, and exciting. Whether it's cars that share the task of driving with you, or highways that change your EV as you go along. It's all in the very near future. And it's a future already taking shape in the Nissan you drive today.

visit our website at: www.nissan.co.za

Phone us toll free on: 0800 NISSAN (647 726) Follow Nissan on:



/NissanSouthAfrica

